# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# **Perfect Compound VOC**

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6)

# **SECTION 1: Identification**

#### 1.1 **Product identifier**

Trade name

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

**Relevant** identified uses HS code

Vehicle polishing compound 3405.30.00.

btirrell@bbblending.com

**Perfect Compound VOC** 

#### 1.3 Details of the supplier of the safety data sheet

**B&B Blending, LLC** 10963 Leroy Drive Northglenn CO 80233 United States

Telephone: 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com Website: bbblending.com

e-mail (competent person)

#### 1.4 **Emergency telephone number**

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hr emergency information

# SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) This mixture does not meet the criteria for classification.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word not required

- Pictograms not required

#### Other hazards 2.3

Special danger of slipping by leaking/spilling product. There is no additional information.

## Hazards not otherwise classified

Contains 1,2-benzothiazol-3-one. May produce an allergic reaction. Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 **Mixtures**



Revision: 2022-03-23



Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

### Description of the mixture

### Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Solvent naphtha (petroleum), heavy aliph.	CAS No 64742-96-7	1-<20	Acute Tox. 3 / H331 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
distillates (petroleum) hydro- treated, light	CAS No 64742-47-8	5-<10	Asp. Tox. 1 / H304	
White mineral oil (petroleum)	CAS No 8042-47-5	5-<10	Asp. Tox. 1 / H304	

For full text of abbreviations: see SECTION 16.

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Carbon monoxide (CO), Carbon dioxide (CO2)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D



# Perfect Compound VOC

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Remove persons to safety.

For emergency responders Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

## 6.2 Environmental precautions

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Control of the effects

Protect against external exposure, such as

frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.





# Perfect Compound VOC

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

# **SECTION 8: Exposure controls/personal protection**

#### ntrol narameters 8.1

Contro	Control parameters										
Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota tion	Sourc e
US	glycerine	56-81-5	REL							mist, appx- D	NIOS H REL
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1 000
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1 000
US	mineral oil	8042-47- 5	TLV®		5					i, ex- Met- Work- Fl	AC- GIH® 2019
Notation											

Notation

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

exMetWorkFl excluding metal working fluids inhalable fraction

mist

as mists respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
White mineral oil (pet- roleum)	8042-47-5	DNEL	165 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
White mineral oil (pet- roleum)	8042-47-5	DNEL	217 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### 8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.



# Perfect Compound VOC

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

#### Skin protection

### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

### Appearance

Physical state	liquid (viscous)
Color	dark beige
Particle	not relevant (liquid)
Odor	characteristic

#### Other safety parameters

pH (value)	8-8.5 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101 kPa >212 °F at 1 atm
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

**Explosive limits** 

- Lower explosion limit (LEL)	0.6 vol%
- Upper explosion limit (UEL)	19 vol%
Vapor pressure	32 hPa at 25 °C
Density	1.2 $^{g/}$ cm <sup>3</sup> at 25 °C 10 $^{lb/}$ gal at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined



Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	220 °C (auto-ignition temperature (liquids and gases))
Viscosity	
- Kinematic viscosity	3,350 cSt at 25 °C
- Dynamic viscosity	4,087 cP at 25 °C
Explosive properties	none
Oxidizing properties	none

# 9.2 Other information

Temperature class (USA, acc. to NEC 500)

 $\begin{array}{l} T2D \ (\text{maximum permissible surface temperature on the equipment:} \\ \texttt{215^{\circ}C}) \end{array}$ 

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.





Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance CAS No Exposure route ATE						
Solvent naphtha (petroleum), heavy aliph.	64742-96-7	inhalation: vapor	>5.3 <sup>mg</sup> /ı/4h			
White mineral oil (petroleum)	8042-47-5	inhalation: dust/mist				

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitization

Contains 1,2-benzothiazol-3-one. May produce an allergic reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
White mineral oil (petro- leum)	8042-47-5	LL50	>10,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h	

## 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.





# **Perfect Compound VOC**

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

# 12.5 Results of PBT and vPvB assessment

Data are not available.

**12.6 Endocrine disrupting properties** None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# **SECTION 14: Transport information**

### 14.1 UN number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not relevant

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

## 14.6 Special precautions for user

There is no additional information.

# **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

## Information for each of the UN Model Regulations

# Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

# International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

# International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.



Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6)

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question

# National regulations (United States)

Toxic Substance Control Act (TSCA)all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

### **Clean Air Act**

none of the ingredients are listed

## **Right to Know Hazardous Substance List**

# - Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Neuburg Siliceous Earth	1020665-14-8	abrasive	
water	7732-18-5	solvent	
distillates (petroleum) hydrotreated, light	64742-47-8	solvents	
Solvent naphtha (petroleum), heavy aliph.	64742-96-7	solvents	
White mineral oil (petroleum)	8042-47-5	lubricant	
Glycerine	56-81-5	humectant	
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
N,N-bis(2-Hydroxyethyl)oleamide	93-83-4	surfactant	
acrylic polymer	75760-37-1	viscosity modifier	
triethanolamine	102-71-6	pH adjusting agent	
EDTA, anhydrous	64-02-8	chelate / se- questrant	
2,2'-iminodiethanol	111-42-2	impurity	CA TACs IARC Carcinogens - 2B OEHHA RELs Prop 65
2-methyl-4-isothiazolin-3-one	2682-20-4	preservative	
1,2-benzothiazol-3-one	2634-33-5	preservative	

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals				
Name acc. to inventory	CAS No	Conc.	Remarks	Type of the toxicity
diethanolamine	111-42-2	0.025 wt%		cancer

### **VOC content**

Revision: 2022-03-23



# Perfect Compound VOC

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6)		Revision: 2022-03-23
- Regulated Volatile Organic Compounds (VOC-EPA)	0.0028 %	
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	0.0028 %	

# Industry or sector specific available guidance(s)

# NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	
Chronic:chronic hazardFlammability:flammability hazardsHealth:health hazardPersonal protection:personal protective equipment (PPE) for normal usePhysical hazard:reactivity		

# NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

# **National inventories**

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed
AU	AICS	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed





# Perfect Compound VOC

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

Country	Inventory	Status
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Legend	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book"). Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.2		HS code: 3405.30.00.	yes
3.2		Hazardous ingredients acc. to GHS: change in the listing (table)	yes
5.2	Special hazards arising from the substance or mix- ture: none	Special hazards arising from the substance or mix- ture	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
9.1		Particle: not relevant (liquid)	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
14.1	UN number: not assigned	UN number: not subject to transport regulations	yes
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant	yes



Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6)

Revision: 2022-03-23

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
14.7	- Additional information		yes
14.7	Number of cones/blue lights: 0		yes
15.1		Toxic Substance Control Act (TSCA): all ingredients are listed	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)	
49 CFR US DOT	49 CFR U.S. Department of Transportation	
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement	
Acute Tox.	Acute toxicity	
Asp. Tox.	Aspiration hazard	
ATE	Acute Toxicity Estimate	
Cal ARB	California Air Resources Board	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Perfect Compound VOC

Version number: GHS 7.0 Replaces version of: 2021-01-18 (GHS 6) Revision: 2022-03-23

Abbr.	Descriptions of used abbreviations
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H331	Toxic if inhaled.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.